



EC DECLARATION OF CONFORMITY

Declaration of Conformity Nr 02/03/2008

23.05.2008

1. Address of manufacturer:

Opoczno I Sp. z o.o., ul. Przemysłowa 5, 26-300 Opoczno, Poland.

2. Construction product manufacturer:

Opoczno I Sp. z o.o., ul. Przemysłowa 5, 26-300 Opoczno

3. Construction product name:

The ceramic gres tiles, dry-pressed, with low water absorption $E \leq 0,5\%$, Group BIa, unglazed (UGL); for internal and external wall cladding and flooring.

4. Technical Specification:

PN-EN 14411 standard "Ceramic tiles. Definitions, classification, characteristics and marking", Annex ZA.

5. Name and number of accredited certification entity .

Instytut Szkła , Ceramiki, Materiałów Ogniotrwałych i Budowlanych, ul. Postępu 9, 02 - 676 Warszawa, Poland.

6. Declared technical characteristics

Properties	Declared tile parameters	Test method
Reaction to Fire	A1 _n class	Without testing(decision 96/603 CE)
Breaking strength	Not less than 700N (thickness <7,5mm) Not less than 1300N (thickness ≥ 7,5mm)	PN-EN ISO 10545-4
Modulus of rupture	Minimum 35 N/mm ² Individual minimum 32 N/mm ²	PN-EN ISO 10545-4
Slipperiness	In accordance with declaration on the label	DIN 51130
Resistance to deep abrasion: removed volume in cubic millimetres,	Max. 175	PN-EN ISO 10545-6
Resistance to staining	Min. 3 class	PN-EN ISO 10545-14
Resistance to acids and alkalis of low concentration	Min. ULB	PN-EN ISO 10545-13
Resistance to acids and alkalis of high concentration	Min. UHB	PN-EN ISO 10545-13
Resistance to household cleaning agents and swimming pool chemicals	Min UB	PN-EN ISO 10545-13
Frost resistance	Resistant	PN-EN ISO 10545-12

I hereby warrant that the construction product complies with the technical specification included in § 4.

KIEROWNIK DZIAŁU

Zapewnienia Jakości

Agnieszka Zapolska
Agnieszka Zapolska
- 25 B -

Opoczno, 23.05.2008

Place and date of issue

Stamp of the representative